


Debon



BROCHURE 2026



debon-trailers.com



SINGLE AXLE BOX VAN TRAILER



Roadster 220

Roadster 255
Unbraked Version

Roadster 255
Braked version

Cargo 1300

Cargo XL

Roadster 300

Roadster 400

Empty weights	300kg	Composite: 375kg Alu: 390kg	Composite: 375kg Alu: 390kg	445kg	485kg	Composite: 510kg Alu: 495kg	540kg
Payload	420kg	400kg	930kg	855kg	815kg	840kg	810kg
Ramp's weight capacity	No ramp	500kg	500kg	500kg 750kg (as extra)	500kg 750kg (as extra)	500kg 750kg (as extra)	500kg 750kg (as extra)
Pullman	No	No	No	Yes	Yes	Yes	Yes
Outside dimensions (Lxwxh) in mm	3480x1630x1725	3690x1740x2010	3690x1740x2010	4250x2050x2020	4450x2140x2000	4250x2050x2310	4450x2150x2370
Max. Gross Weight	750kg	750kg	1300kg	1300kg	1300kg	1300kg	1300kg
Inside dimensions (Lxwxh) in mm	2315x1157x1088	2550x1250x1550	2550x1250x1550	3000x1520x1650	3230x1660x1640	3030x1510x1970	3130x1660x2010
Floor	non-slip plywood	non-slip plywood 15mm	non-slip plywood 15mm	non-slip plywood 15mm	Aluminium 18mm 5 years warranty	non-slip plywood 15mm	Aluminium 24mm 5 years warranty
Galvanised steel chassis with aluminum extrusion framework	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Wheel chocks	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Interior light	No	No	No	Yes	Yes	Yes	Yes
Rear loading	Opening door	Ramp-door	Ramp-door	Ramp-door	Ramp-door	Ramp-door	Ramp-door

DOUBLE AXLE BOX VAN TRAILER



Roadster 500

Roadster 700

Roadster 800

Roadster 900

Roadster 1000
START

Roadster 1000
PRO

Roadster 2000

625kg	705kg	980kg	1035kg	965kg	1035kg	1185kg
1375kg	1895kg	2500kg	2465kg	2433kg	2465kg	2315kg
500kg 750kg (as extra)	1000kg	1000kg	1000kg	1500kg	1500kg	1500kg
Yes	Yes	Yes	Yes	Yes	Yes	Yes
4450x2150x2370	4950x2290x2390	5650x2315x2440	6220x2315x2440	6220x2340x2365	6260x2340x2490	6750x2530x2480
2000kg (2600kg as extra)	2600kg	3500kg	3500kg	3500kg	3500kg	3500kg
3130x1660x2010	3760x1810x2010	4360x2020x2060	4970x2020x2060	4970x2020x2020	4960x2075x2045	5540x2270x2045
Aluminium 24 mm 5 years warranty	Aluminium 24 mm 5 years warranty	Aluminium 24 mm 5 years warranty	Aluminium 24 mm 5 years warranty	Aluminium 24 mm 5 years warranty	Aluminium 24 mm 5 years warranty	Aluminium 24 mm 5 years warranty
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ramp-door	Ramp-door	Ramp-door	Ramp-door	Ramp with ramp extension	Large rear ramp	Large rear ramp



ROADSTER 220

Plywood



- Hot dip galvanized chassis
- Lockable rear door
- 2 wheel chocks
- Jockey wheel with randle
- Axle 750 kg unbraked
- Protected lights
- "V" drawbar
- Tie-rings x4
- 1 prop stand



RAMP DOOR
COMBINATION



ROADSTER 255

Unbraked Trailer

Composite



Fiberglass



- Plywood floor
- Roof and front in one solid fiberglass part
- 18 mm composite side walls
- Composite (white or grey)
- Aluminium rear ramp door combination
- Shockproof mudguards
- Protected lights
- Tie-rings x4
- 2 prop stands
- Automatic jockey wheel

OPTIONAL

- Composite side walls
- Aluminium side walls
- Lateral door with key lock
- Alloy wheels 13"





ROADSTER 255

braked trailer

Composite



Fiberglass



Aluminium 5 years warranty



- Plywood floor
- Roof and front in one solid fiberglass part
- 18 mm composite side walls
- Aluminium rear ramp door combination
- Shockproof mudguards
- Protected lights
- Tie-rings x4
- 2 prop stands
- Automatic jockey wheel with handle

OPTIONAL

- Composite side walls
- Aluminium side walls
- Lateral door with key lock
- Alloy wheels 13"



RAMP DOOR COMBINATION



The basics built for Practicality

Available as braked or unbraked, these compact trailers combine sturdiness and maneuverability for a pleasant drive, even for beginners



Simple. Efficient. Lightweight.



RAMP DOOR
COMBINATION



CARGO 1300

PULLMAN²
performance

Fiberglass



- Plywood floor
- Fiberglass bodywork
- Exclusive aerodynamic design
- Rear aluminium ramp door combination
- Shockproof mudguards
- Protected lights
- Tie-rings x4
- 2 prop stands
- Automatic jockey wheel with handle

OPTIONAL

- Side door with key lock
- Alloy wheels 14"
- Rear-view camera



RAMP DOOR
COMBINATION



CARGO XL

PULLMAN²
performance

Fiberglass



- Aluminium floor
- Side door with lock
- Fiberglass bodywork
- Exclusive aerodynamic design
- Rear aluminium ramp door combination
- Grey anodized aluminum rear door
- Shockproof mudguards
- Protected lights
- Tie-rings x6
- 2 prop stands
- Automatic jockey wheel with handle
- Led light

OPTIONAL

- Spare wheel and carrier
- Interior tie-down rail
- Front wheel chock for motorcycle
- Reversing camera

NEW 2026





ROADSTER 300

PULLMAN²
performance

Composite



Fiberglass



- Aluminium floor
- Roof and front in one solid fiberglass part
- 18 mm composite side walls
- Aluminium ramp door combination
- Shockproof mudguards
- Protected lights
- Tie-rings x4
- 2 prop stands
- Automatic jockey wheel with handle

OPTIONAL

- Aluminium side walls
- Lateral doors with key lock
- Lateral sales flaps.



RAMP DOOR
COMBINATION




ROADSTER 400

PULLMAN²
performance

Composite



Fiberglass




- Composite (white or grey)
- Roof and front in one solid fiberglass part
- 18 mm composite side walls
- Aluminium floor
- Aluminium rear ramp door combination.
- Shockproof mudguards
- Protected lights
- Tie-rings x4
- 2 prop stands
- Automatic jockey wheel with handle

OPTIONAL

- Aluminium side walls
- Lateral door with key lock
- Lateral sales flap
- Rear-view camera
- 2-shelves kit
- Alloy wheels 14'



RAMP DOOR
COMBINATION



ROADSTER 500



Composite



Fiberglass



- Aluminium floor
- Roof and front in one solid fiberglass part
- 18 mm composite side walls
- Aluminium floor
- Rear aluminium ramp door combination
- Shockproof mudguards
- Protected lights
- Tie-rings x6
- Automatic jockey wheel with handle

OPTIONAL

- Aluminium side walls
- Lateral doors with key lock
- Lateral sales flaps
- Rear-view camera
- 2-shelves kit
- Alloy wheels 14"

RAMP DOOR
COMBINATION

LATERAL SALES FLAP



ROADSTER 700



Fiberglass



- Roof and front in one solid fiberglass part
- Aluminium side walls
- Aluminium floor
- Rear aluminium ramp door combination
- Lateral door with key lock
- Shockproof mudguards
- Protected lights
- Tie-rings x8
- Wheels 14"
- Automatic jockey wheel with handle

OPTIONAL

- Lateral sales flaps
- Rear-view camera
- Second side door
- Alloy wheels 14"

RAMP DOOR
COMBINATION





ROADSTER 800 ROADSTER 900

PULLMAN²
performance

Fiberglass



- Roof and front in one solid fiberglass part
- Aluminum lateral walls and floor
- Rear aluminium ramp door combination
- Lateral door with key lock
- Shockproof mudguards
- Designed rear lamps
- Tie-rings x8
- Automatic jockey wheel with handle
- Wheels 14"

OPTIONAL

- Lateral sales flaps
- Rear-view camera
- Second side door



RAMP DOOR
COMBINATION



Your trailer tailored to fit your needs on the spot


With a variety of opening options, our trailers give you total flexibility for transporting, accessing and organising your equipment.



Lateral doors L/R



Ramp door combination (model 255 to 900)



Lateral sales flap



ROADSTER 1000 START

CAR TRANSPORT



Fiberglass



- Roof and front in one solid fiberglass part
- Honeycomb composite side walls
- Aluminium ramp with ramp extension
- 2 lateral doors
- 2 Side flaps : width 2360mm x height 1320mm
- Shockproof mudguards
- Led lights
- Tie-rings x8
- Automatic jockey wheel
- Low-profile tires 13'
- Prop stands

OPTIONAL

- Rear-view camera
- Elevation rail
- Alloy wheels 13'
- Winch

LIMITED EDITION



ROADSTER 1000 PRO

CAR TRANSPORT



Fiberglass



- Roof and front in one solid fiberglass part
- Aluminium side walls and floor
- Rear aluminium ramp
- 2 lateral doors
- 2 Side flaps : width 2360mm x height 1320mm
- Shockproof mudguards
- Led lights
- Tie-rings x8
- Automatic jockey wheel
- Alloy wheels 12'
- Prop stands

OPTIONAL

- Rear-view camera
- Elevation rail
- Winch
- Rack kit for wheels
- Short or long ramp extensions






ROADSTER 2000

CAR TRANSPORT




Fiberglass



- Roof and front in one solid fiberglass part
- Aluminium side walls and floor
- Rear aluminium ramp
- 2 lateral doors
- 2 Side flaps : width 2360mm x height 1320mm
- Shockproof mudguards
- Led lights
- Tie-rings x8
- Automatic jockey wheel
- Alloy wheels 12"
- Prop stands

OPTIONAL

- Rear-view camera
- Elevation rail
- Winch
- Rack kit for wheels
- Short or long ramp extensions



Stability. Safety. Performance.

Thanks to the **Pullman technology**, which **protects** your cars from vibrations and shocks throughout the journey, the **Roadster 1000 and 2000** are guaranteeing **optimum transport** for your vehicles.



ROADSTER GARDEN


BRAKED OR UNBRAKED

Automatic tilting & secured locking

- V drawbar 1300 kg capacity
- Axles 750kg or 1350kg
- Jockey wheel
- Strong mudguards
- Tilting platform with gas damper assistance
- Strong ramp
- Many tying points




USEFUL DIMENSIONS



MODEL 150

Unladen weight = 275 kg (from)
Max. Gross Weight = 500 to 1300 kg
depending on braked category



MODEL 175

Unladen weight = 372 kg (from)
Max. Gross Weight = 750 to 1300 kg




ROADSTER PLATFORM

BRAKED OR UNBRAKED

Automatic tilting & secured locking

- V drawbar 1300kg
- Axle 750kg or 1350kg
- Jockey wheel
- Strong mudguards
- Tilting platform with gas damper assistance
- Anti slipping plywood floor
- Many tying points

USEFUL DIMENSIONS



Unladen weight = 270 kg (from)
Max. Gross Weight = 500 to 1300 kg
depending on braked category



ROADSTER MOTO

NEW 2026

Automatic tilting & secured locking

- Strong axle
- Jockey wheel
- Easy and safe loading/unloading for large and or heavy motorcycle
- Foot locking/unlocking pedal
- Adjustable for any tire dimensions
- Many tying points


OPTIONAL

- Tool box + bracket
- Spare wheel steel
- Motorcycle rail gutter
- wheel chock for 3-wheels scooter
- Alloy wheels



Roadster Moto 1

USEFUL DIMENSIONS




Roadster Moto 1 Dimension

Unladen weight = 185 kg (from)
Max. Gross Weight = 500 to 750 kg




Roadster Moto 2



Roadster Moto 2 Dimension

Unladen weight = 355 kg (from)
Max. Gross Weight = 750 to 1300 kg




ROADSTER CAMP

- Hot dip galvanized chassis and parts.
- Aluminium anti slipping platform
- Jockey wheel
- Strong wheels with tires 195/50 B10 "High Speed Trailer"
- Adjustable platform to load 1 motorcycle or several bikes.
- Extra removable rack to place more material or bikes.

OPTIONAL

- Tool box + bracket
- Spare wheel
- Motorcycle rail kit
- 1 Bike kit
- 2 Bike kit

USEFUL DIMENSIONS



Unladen weight :
180 kg (from)

PTAC :
500 to 750 kg



ROADSTER AUTO BRAKED


- Tilting platform with additional ramps.
- Robust construction, hot dipped galvanised.
- Progressive tilting with gas damper.
- Many tying possibilities.
- Ideal for transporting small vehicles.

Available options :

- Spare wheel with bracket
- Manual winch with bracket

USEFUL DIMENSIONS

Unladen weight = 360 kg (from)
Max. Gross Weight = 750 to 1 300 kg



COMING IN 2026
The 3.5m version



PW0 ONE-WAY TIPPER

- Hot dip galvanized chassis
- Strong axle
- 18 mm plywood floor
- Removable aluminium drop sides 300 mm
- Heavy duty automatic jockey wheel
- Protected front and rear lights
- Rectangular posts (no residue in the corners)

PW0 «ECO»

- Double acting hand pump

PW0 «LUX»

- Electro-hydraulic with battery
- Plywood floor with galvanised protection steel plate
- H-frame and 6 tie-rings


OPTIONAL

- Flat cover
- Ladder rack
- New mesh sides 600mm
- Extra level of aluminium
- sides walls 300mm
- Spare wheel + bracket
- Hand pump kit
- Prop stands set of 2
- Shock absorbers
- Tie rings

USEFUL DIMENSIONS

PW0

Unladen weight = 430 kg (from)
Max. Gross Weight = 750 to 1500 kg
 as required



Model presented with a cover

PW1.2 ONE-WAY TIPPER

- Hot dip galvanized chassis
- 2 strong axles
- 18 mm plywood floor
- Removable aluminium drop sides 300 mm
- Heavy duty automatic jockey wheel
- Protected front and rear lights
- Rectangular posts (no residue in the corners)

PW1.2 «ECO»

- Double acting hand pump

PW1.2 «LUX»


- Electro-hydraulic with battery
- Plywood floor with galvanised protection steel plate
- H-frame and 6 tie-rings

OPTIONAL

- Flat cover
- Ladder rack
- New mesh sides 600mm
- Extra level of aluminium
- sides walls 300mm
- Spare wheel + bracket
- Hand pump kit
- Prop stands set of 2
- Shock absorbers
- Tie rings

PW1.2

Unladen weight = 540 kg (from)
Max. Gross Weight = 1100 to 2000 kg
 as required



Model shown with an extra set of side panels



Model shown with a mesh extension



Model shown with an extra set of side panels




Model shown with a mesh extension, aluminium crutches and handrails

USEFUL DIMENSIONS


PW2.4

Unladen weight = 710 kg (from)
Max. Gross Weight = 1600 to 2600 kg
 as required




PW3.3

Unladen weight = 800 kg (from)
Max. Gross Weight = 2700 to 3500 kg
 as required



PW3.6

Unladen weight = 800 kg (from)
Max. Gross Weight = 2700 to 3500 kg
 as required



PW2.4 PW3.3 & PW3.6 THREE-WAY TIPPERS

PW2.4

- Hot dip galvanized chassis
- 2 strong axles
- 18 mm plywood floor with galvanised protection steel plate
- Heavy duty automatic jockey wheel
- Protected front and rear lights
- Electro-hydraulic pump with battery
- Integrated ramps rack with strips for noise reduction
- Rectangular posts (no residue in the corners)
- 6 tie rings
- 4 removable aluminium drop sides 350 mm
- Removable front H-Frame galvanised steel

PW3.3

- 195/50R13C or 185R14C wheels
- Exclusive colour : black anodized alu side walls
- Integral cover for battery and hydraulic unit
- 8 tie rings
- Electric pump with manual option included

PW3.6

- 8 tie rings
- 195/50R13C or 185R14C wheels
- Integral cover for battery and hydraulic unit
- Electric pump

OPTIONAL

- Flat cover
- Ladder rack
- New mesh sides 600mm
- Extra level of aluminium sides walls 350mm
- Spare wheel
- Hand pump kit
- Set of aluminium ramp
- Prop stands set of 2
- Shock absorbers



PULLMAN 2 SUSPENSION

Developed in the R&D department of Cheval Liberté/Debon, the PULLMAN 2 suspension frees you from the constraints of hitched transport and allows you to tow your trailer in complete safety while enjoying exceptional road comfort.

Suspension inspired by cars

Always closer to automotive technology, the PULLMAN 2 suspension, 4 independent wheels suspension is composed of 4 articulated arms on galvanized steel silentblocks associated with 4 large diameter springs and 4 hydraulic dampers.

**Pullman: performance
and comfort.**





**Reduced vibration,
increased efficiency**



Spring
helical

+



Individual
suspension arm

+



Hydraulic
shock absorber

Optimised centre of gravity.

With a center of gravity placed as close to the road as possible, the Debon Trailers have an optimized ground clearance.

The trailers stick to the road and absorb the hazards of the road. Both unloaded and loaded, vibrations are considerably reduced, thus guaranteeing a remarkable comfort of use.

Certified quality.

The PULLMAN 2 suspension combined with the aerodynamic design of the Cheval Liberté vans offers a real comfort of traction and contributes to the significant reduction of the fuel consumption of the towing vehicle.

The PULLMAN suspension is recognized as the best suspension for vans and tippers.

It is recommended by all trailer professionals. In a few words, technology, safety and comfort perfectly sums up the performance of the Pullman 2 suspension.

PULLMAN²
performance

Debon Cheval Liberté Group

Since 1995



info@debon-trailers.com

debon-trailers.com



Your dealer

SARL Nancy Cheval - Vans Cheval Liberté et Remorques Debon - Route de St Baslemont - 88804 Lignéville Cedex

April 2026 - Non-binding documents